

Friday, April 15, 2016 9:20:30 AM

All Vendors PO ID PO31988 Receipt Dates from 4/15/2016 to 4/15/2016 All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
PO31988	8		M6061T6B1.000X15. f 000		4/14/2016	4/15/2016	12.0000	\$36.98	0.0000	0	\$443.75
CAD	No		6061-T6 Bar 1.00 x 15.00	f	12.0000	PLOU01		\$443.75	0.0000	0	
			m134576								
	11		71401-45		4/14/2016	4/15/2016	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES		1.0000	PLOU01		\$0.00	0.0000	0	
			m134576								
			m134553								
Total Received Quantity:										13.0000	
Total Qty to Inspect (PO U/M):										0.0000	
Total Reject Quantity:										0.0000	
Total Receipt Value:										\$443.75	
Total Balance Due Quantity:										0.0000	

356

B I L L O F L A D I N G

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 986732
Ship Date 14Apr16 at 14:51 From PFW
Probill
Via VIM DELIVERY
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-916622- 1 Your PO # 31988
STAINLESS STEEL FLAT BAR 303CD
1.00" X 3.00" X 144.0000"

Heat Number 56151478
Tag No 521999

Quantity 12 FT PCS 1 Wt LBS 133

MTR

2) Our Order PEC-916622- 2 Your PO # 31988
ALUMINUM FLT BAR ECONOPLT 6061-T6511
1.00" X 16.00" X 144.0000"

Heat Number 21969471
Tag No 522001

Quantity 12 FT PCS 1 Wt LBS 232

MTR

TOTAL: Tags 2 PCS 2 LBS 365

Heat Number 21969471 *** Chemical Analysis ***

ADD ON TO 916437 SUR-CHARGE ADDED

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 BDL, 1 BAR GW. 423 LBS

SP/6-04-15

Page: 1Continued

ALUMINIUM • LATON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

B I L L O F L A D I N G

No: PEC 986732

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 14Apr16 at 14:51 From PFW
Probill
Via VIM DELIVERY
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***
**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

***UNE SURCHARGE D'ENERGIE DE \$25.00
SERA AJOUTEE A CHAQUE COMMANDE.***
***POUR VOS BESOINS D'ACIER INOXYDABLE,
CONTACTEZ-NOUS. NOUS L'AVONS! TEL. 800-926-2600

Page: 2 Last

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

BOLLINGHAUS[®] STEEL Bollinghaus Steel, SA DIN EN ISO 9001:2008 TÜV CERT No. 01 100 030458		Abnahmeprüfzeugnis / Mill Test Certificate / Certif. de Qualidade				No.: / Nr.: / Nr.:													
		EN 10204:2004 / 3.1				0000110821													
		Unsere innere Verweisung / Our int. Ref / N/ ref int				Datum / Date / Data													
		5600028234 000090				16.12.2015													
Normen / Standards / Normas AISI 303, tol. acc. to ASTM A370-15 A664/A664M-13, ASTM F899-12B, ASTM A484/484-15, specifications acc. to: AMS 5643T, ASME SA564, ASME SA 370, out of section acc. to point 6.5 of EN 10058:2003																			
Kunde / Customer / Cliente Comprador Inoxidable Inc. 3835 Cypress Drive, Suite 207 94954 Petaluma, CA					Endgültiger Kunde / Final Customer / Cliente Final Copper & Brass 8001 Thyssenkrupp Parkway 43619 Northwood, OH														
Bestell Nr./Order Nr./Enc.Nr. 55388					Bestell Nr./Order Nr./Enc.Nr. 5400276111.9														
Produktgruppe / Product Group / Grupo Produto AISI 303 CD FLAT-1 X 3"				Gewicht / Weight / Peso 1.008 lb		Bunde / Bundle / Atados 20													
Werkstoff-Nr. / Material-no. / Qualidade 1.4305			Werkstoff-Normbezeichnung / Material standard grade / Norma do material X 8 CrNiS 18-9																
Beschreibung / Description / Descrição Stainless steel flat bars, hot rolled, solution annealed, straightened, pickled ITEM NO:SSREC00034 US DFAR 252.225-7009: MELT SOURCE: United Kingdom / MFG: Portugal.																			
Schmelzen Nr. / Cast nr. / Fusão nr.		Chemische Analyse in % / Chemical composition in % / Análise química em %																	
56151478		C	0.041	Si	0.380	Mn	1.630	P	0.034	S	0.260	Cr	17.520	Ni	8.270				
EAF+AOD		Mo	0.390	Co	0.150	Cu	0.580	N	0.034	Ti	0.003	-	-	-	-				
Proben Nr. / Test no. / Amostra no.		ASTM E399 Kerbschlagarbeit Impact Test Resiliência (Charpy V) [J]				Streckgrenze Yield point Tensão limite Rp 0,2 % [Ksi]		Dehngrenze 1% point Limite de extensão Rp 1,0 % [Ksi]		Zugfestigkeit Tensile strength Tensão de ruptura Rm [Ksi]		Dehnung Elongation Alongamento A (A5/4D) [%]		Einschränkung Reduction of area Coef. Estricção Z [%]					
		3049820.01.01				78.5		85.7		102.0		51.6		72.4					
Visuelle Kontrolle Visual inspection Inspeção visual <input checked="" type="checkbox"/> OK		ASTM E10 Härte Hardness Dureza [HB]		212		Korrosionsbeständigkeit IC Test Corrosão Intermetálica		Wärmebehandlung Heat treatment Tratamento térmico		Annealed Quenched 1800 °F (1050 °C) (water quenched)									
ASTM A484 Maßkontrolle Dimensional inspection Inspeção dimensional <input checked="" type="checkbox"/> OK		ASTM E112 Korngröße Grain size Tamanho de grão		-		Werkstoffprüfungsstelle Quality Control Representative Inspector da Qualidade Nuno Silva (Q-NS)													
Verwechslungsprüfung Test of identity Teste de identificação <input checked="" type="checkbox"/> OK		Makroskopische Untersuchung Macrographic test Material free from segregation defects.		<input checked="" type="checkbox"/> OK															
Bemerkungen / Remarks / Observações Country of origin: Portugal. No weld repair done. Material is free of mercury and radiation contamination.										Hiermit bestätigen wir, dass das Material der oben genannten Spezifikation entspricht. We confirm that this material meets the specification according to the mentioned standards. Confirmamos que este material respeita as especificações de acordo com as normas referidas.									

129.0 PP

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS CA LTD

Del.: 2404475339

CstAr

CstOr 274591

Wgt.: 133 LB

Date 04/12/2016

Thomas Sanchez

2



Sapa Industrial Extrusions
53 POTTSVILLE STREET
CRESSONA, PA
17929-0187

Sapa Extrusions Inc., a Subsidiary of Sapa AB

Invoice To Customer
COPPER & BRASS SALES INC
ATTN: ACCOUNTS PAYABLE
P.O. BOX 5116

SOUTHFIELD, MI - 48086
Ship To Customer
COPPER & BRASS SALES INC
8001 THYSSENKRUPP PARKWAY

NORTHWOOD, OH - 43619

Certified Inspection Report

Sales Order Number	Line No.	Customer P/O	Cert Number	Page
1100948746	5	5400244330-50	SAPA1107350	1 of 2
			Cert Creation Date	Cert Print Date
			20-DEC-14	20-DEC-14

Quantity Shipped	Date Shipped	Item Description	Specification
4404 LB	20-DEC-14	ACC-U-LINE Extended ACC-U- PLATE	ASTM B221 REV 14 AMS-Q-A-2008 REV 1997 RA 2012 IS-AUP REV
B/L	Item No.	1,000 TK x 16,000 W TK TOL +.038/- .000 W TOL +.208/- .000 SECT 515175	
595610	Item No. Rev	144 IN LN FIN M-MILL W/F 19 298 F 2 CS 16.1 6061/T6511	
4614113	Item No. Rev	Marking CONTINUOUS;	
CustomerPart No.			
ALREC01030			

Applicable Specifications, Revisions and Exceptions

ACC-U-PLATE

Acc-U-Plate(TM) product: greater than 0.375" thick in 6061 T6/T6511 alloy temper meets 6061-T6511 tensile strength, yield strength, and elongation minimums of rolled plate produced per AMS-QQ-A-250/11 and ASTM B 209.

COMPOSITION NOTE: The values for 'Others Each' and 'Others Total' have met the limits as shown on this certified inspection report. Remainder is Aluminum.

Legal Statement

We hereby certify that, unless otherwise indicated, the material covered by this report has been manufactured, inspected, and tested in accordance with, and has been found to meet, the applicable requirements described herein, including any specifications forming a part of the description and that samples representative of the material met the composition and the mechanical properties shown on the face of this certification. Also, note that mercury is not a normal contaminant in aluminum alloys and neither it nor any of its compounds are used in the manufacture of our product. This certification is not to be reproduced in partial form without prior written approval of our Quality Assurance Dept.

Signature And Title
William T. Martin, III
William Martin III
Tech/Quality Manager
20-DEC-14

Quantities per Lot / Packages		Weight	
Package Number	Lot Number	Gross	Net
G12-PKG2366429	21969471	701	695
G12-PKG2366430	21969471	701	695
G12-PKG2366434	21969471	701	695
G12-PKG2366435	21969471	701	695
G12-PKG2366700	21969471	1630	1624

From: ThyssenKrupp Materials NA
Cust. THYSSENKRUPP MATERIALS CA LTD
CstAr
Wgt.: 232 LB

Del.: 2404475341
CstOr 274591
Date 04/12/2016

Thomas Sanchez



Sapa Industrial Extrusions
53 POTTSVILLE STREET
CRESSONA, PA
17929-0187

Certified Inspection Report

Sales Order Number	Line No.	Customer P/O	Cert Number	Page
1100848746	5	5400244330-50	SAPA1107350	2 of 2
			Cert Creation Date	Cert Print Date
			20-DEC-14	20-DEC-14

Composition Limits

Alloy	Si		Fe		Cu		Mn		Mg		Cr		Zn	
	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
6061	0.40	0.80	---	0.70	0.15	0.40	---	0.15	0.80	1.20	0.04	0.35	---	0.25
Alloy	Ti		Others Each		Others Total									
	Min	Max	Min	Max	Min	Max								
6061	---	0.15	---	0.05	---	0.15								

Composition Results

Test / Cast	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Others Each	Others Total
4034543	0.67	0.22	0.22	0.04	0.89	0.05	0.02	0.02	---	---

Mechanical Property - Test Limits

Test Temper	Lot Number	# of Tests	UTS - L		TYS - L		EL 4D-Long	
			MIN Value	MAX Value	MIN Value	MAX Value	MIN Value	MAX Value
T6511S8	21969471	2	44.6	44.8	42.7	42.8	14.3	15.9

Cert Notes

Products manufactured with a T6511 temper also meet T6 temper requirements.
Yield strength has been determined by the 0.2% offset method.
All mill finish alloys produced at Sapa Industrial Extrusions comply with Directive 2011/65/EU (RoHS 2) with the exception of 6262 alloy.
In accordance with EN 10204 Inspection Certificate Type 3.1
Melted in the USA or "Qualifying Countries" (as defined in Defense Federal Acquisition Regulation Supplement (DFARS) Section 225.872-1)
Manufactured in the United States

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS CA LTD

CstAr

Wgt.: 232 LB

Del.: 2404475341

CstOr 274591

Date 04/12/2016

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061B1.00X16.00 ^{15.00}
 DATE: 16-04-15

PO / BATCH NO.: 1031988 / M134576

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.00"
 THICKNESS RECEIVED: 1.05"
 SHEET SIZE ORDERED: 15"
 SHEET SIZE RECEIVED: 16"

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	ASTM B221
CORRECT REF # TO LINK CERT	(Y) N	21969471
CORRECT MATERIAL IDENTIFICATION	(Y) N	identify as M6061B1.00X16.00
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: _____		
DATE: <u>16-04-15</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31988

Purchase Order Date 4/8/2016

PO Print Date 4/8/2016

Page Number 1 of 5

Order From :

VC-COP001

Ship To : DART AEROSPACE LTD

APR 11 2016

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
Line Comments			Promise Date				
Delivery Comments							

1	M6061T6R0.375	6061-T6 Round Bar .375"	4/14/2016		12.00	\$3.75	\$45.00
			Yes				
			4/14/2016				

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$45.00

2	M303B1.000X03.000	303 BAR 1" X 3'	4/14/2016		2.00	\$58.95	\$707.40
			No				
			4/14/2016				

MATERIAL: AISI 303 SS BAR AS PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$707.40

Note:

4/8/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31988

Purchase Order Date 4/8/2016

PO Print Date 4/8/2016

Page Number 2 of 5

Order From :

VC-COP001

Ship To : DART AEROSPACE LTD

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

3	M303R1.000	303 Round Bar 1.00	4/14/2016	24.00	✓	\$6.29	\$150.84
			Yes	f			
			4/14/2016				

MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$150.84

4	M304RO.750	304 SS Roundbar .750	4/14/2016	24.00	✓	\$3.95	\$94.80
			Yes	f			
			4/14/2016				

MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276

(NOTE: AISI 303 NOT ACCEPTABLE)

Line Total: \$94.80

5	M6061T6B0.500X05.000	6061-T6 Bar .500 x 5.00	4/14/2016	12.00	✓	\$8.25	\$99.00
			Yes	f			
			4/14/2016				

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Sal 6-04-13

Note:

4/8/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31988

Purchase Order Date 4/8/2016

PO Print Date 4/8/2016

Page Number 3 of 5

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

6	M6061T6B0.625X02.500	✓ 6061-T6 Bar .625 x 2.50	4/14/2016 Yes 4/14/2016	12.00 ✓ f	\$6.15 ✓	\$73.80
---	----------------------	---------------------------	-------------------------------	--------------	----------	---------

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$99.00

7	M6061T6B1.000X04.000	6061-T6 Bar 1.00 x 4.00	4/14/2016 Yes 4/14/2016	12.00 ✓ f	\$11.67 ✓	\$140.00
---	----------------------	-------------------------	-------------------------------	--------------	-----------	----------

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$73.80

Line Total: \$140.00

Note:

4/8/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31988

Purchase Order Date 4/8/2016

PO Print Date 4/8/2016

Page Number 4 of 5

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

8 M6061T6B1.000X15.000 6061-T6 Bar 1.00 x 15.00 4/14/2016
Yes
4/14/2016

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

16" acceptable APR 11 2016

12.00 ✓ \$48.03 \$576.30
f

Sp/16-04-15

Line Total: \$576.30

9 M6061T6B4.500X4.500 6061-T6 Aluminum Bar 4/14/2016
4.500" X 4.500" No
4/14/2016

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

5.00 ✓ \$75.00 \$375.00
f

Line Total: \$375.00

10 M6061T6R1.000 ROUND BAR 1.00" 4/14/2016
Yes
4/14/2016

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

12.00 ✓ \$4.88 \$58.50
f

Sp/16-04-11

Note:

4/8/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO31988**

Purchase Order Date 4/8/2016

PO Print Date 4/8/2016

Page Number 5 of 5

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

Line Total: \$58.50

11 71401-45

PROCUREMENT
QUALITY CLAUSES

4/14/2016

1.00

\$0.00

\$0.00

No

4/14/2016

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

Line Total: \$0.00

PO Total: \$2,320.64

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 4/8/2016